

WITH THE NATURE FOR THE HUMAN BEING



CATALOGUE 2026

- What do you want to do?
BIOFA product recommendations
- Product groups
- Products
sorted by product group

Natural. Regional.
From Swabia.



BIOFA - so that your home becomes an oasis of well-being




Flooring with BIOFA Bianco Oil

Ecological construction using renewable raw materials is very much in vogue and provides an ideal basis for healthy living. Natural building materials and natural coatings are ideal for the home and can be used in a variety of ways.

Wood is particularly popular because, more than any other building material, its unique aesthetic qualities convey a feeling of warmth, comfort and security.



Flooring in Lindau, BIOFA Bianco Oil, Imex organic flooring



Hoffmann La Roche Basel, BIOFA Parquet Oil special , www.thymos.ch

To ensure that you can enjoy wooden surfaces for as long as possible, we treat these wonderful surfaces with oils, waxes, glazes, etc., because with good care, a wooden surface can last a lifetime.

Healthy living, sustainability, top quality and over 40 years of experience - that's what BIOFA offers. They are your experts when it comes to oils, paints, varnishes, etc. The safety and quality of their products are tested by independent institutes using state-of-the-art testing methods, ensuring that national and international standards are met.

What do you want to do?

Indoor area	Item no.	Product	Page
Wooden furniture			
Exterior surfaces of furniture			
Non-film-forming oils	2049	Furniture Oil solvent-free	11
	8624	Profi Top Oil	9
	8662	Dipping Oil lösemittelfrei	10
	8683	Bianco Oil	10
	2110	Color Oil solvent-free	11
Thin-film-forming oils	8162	Hard Wax Oil mat	9
	2044	Universal Hard Oil semi mat	9
	2055	Hard Wax Oil semi gloss	9
	8045	Hard Oil Aqua semi gloss	10
	8245, 82451	Hard Oill Aqua mat colorless and colored	10
	8689	Bianco Oil Aqua	10
colored primer for 8162, 2044, 2055	2110	Color Oil solvent-free	11
primer for 8162, 2044, 2055	3754	Universal Wood Primer	9
Waxes	2060	Hard Wax	15
	2063	Wachs-Balm solvent-free	15
	8660	Oil Wax	15
primer	3754	Universal Wood Primer	9
Wood varnishes	5201, 52011	Wood Varnish Aqua colorless and colored	18
	8101, 81011	Wood Varnish Aqua Industry colorless and colored	18
Enamel paints	5134, 5135	VERNILUX Aqua Enamel Paint white and colored semi mat	19
	5136, 5137	VERNILUX Aqua Enamel Paint white and colored semi gloss	19
primer	1211	Primer Aqua	19
Interior surfaces of furniture	5005	Natural Shellac Refiner	16
	2087, 20871	Color Wax solvent-free	15
Worktops	2052	Worktop Oil solvent-free	11
	2053	Hemp-Worktop Oil solvent-free	11
	8683	Bianco Oil	10

Floors

Wooden floors			
Wooden floors without joints			
Non-film-forming oils	2059	Parquet Oil special solvent-free	11
	8683	Bianco Oil	10
Thin-film-forming oils	8162	Hard Wax Oil mat	9
	2044	Universal Hard Oil semi mat	9
	2055	Hard Wax Oil semi gloss	9
	8045	Hard Oil Aqua semi gloss	10
	8245, 82451	Hard Oil Aqua mat colorless and colored	10
	8689	Bianco Oil Aqua	10
colored primer for 8162, 2044, 2055	2110	Color Oil solvent-free	11
primer for 8162, 2044, 2055	3754	Universal Wood Primer	9
Soaps and lyes	2091	Floor Soap natural	17
	2092	Floor Soap white	17
brightening for hard woods	2093	Hard Wood Lye	17
brightening for soft woods	2094	Soft Wood Lye	17

Indoor area	Item no.	Product	Page
Floors			
Wooden floors			
Wooden floors without joints			
Thin-film-forming oils	8162	Hard Wax Oil mat	9
	2044	Universal Hard Oil semi mat	9
	2055	Hard Wax Oil semi gloss	9
	8689	Bianco Oil Aqua	10
	8045	Hard Oil Aqua semi gloss	10
	8245, 82451	Hard Oil Aqua mat colorless and colored	10
colored primer for 8162, 2044, 2055	2110	Color Oil solvent-free	11
primer for 8162, 2044, 2055	3754	Universal Wood Primer	9
Soaps and lyes			
	2091	Floor Soap natural	17
	2092	Floor Soap white	17
brightening for hard woods	2093	Hard Wood Lye	17
brightening for soft woods	2094	Soft Wood Lye	17
Cork flooring			
Non-film-forming oils	2059	Parquet Oil special solvent-free	11
	8624	Profi Top Oil	9
Thin-film-forming oils	8162	Hard Wax Oil mat	9
	2055	Hard Wax Oil semi gloss	9
colored primer for 8162, 2044, 2055	2110	Color Oil solvent-free	11
primer for 8162, 2044, 2055	3754	Universal Wood Primer	9
Mineral soils			
Screed	2100, 21001	Stone Oil colorless and colored	9
	8145	Stone Oil Aqua	10
primer for 2100, 21001	3754	Universal Wood Primer	9
Unglazed tiles			
	2100	Stone Oil colorless	9
	8145	Stone Oil Aqua	10
primer	3754	Universal Wood Primer	9
Linoleum flooring			
	8162	Hard Wax Oil mat	9
	2044	Universal Hard Oil semi mat	9
	2055	Hard Wax Oil semi gloss	9
Interior fittings			
Wooden walls and room doors			
Non-film-forming oils	8162	Hard Wax Oil mat	9
	2044	Universal Hard Oil semi mat	9
	2055	Hard Wax Oil semi gloss	9
	8045	Hard Oil Aqua semi gloss	10
	8245, 82451	Hard Oil Aqua mat colorless and colored	10
	8689	Bianco Oil Aqua	10
colored primer for 8162, 2044, 2055	2110	Color Oil solvent-free	11
primer for 8162, 2044, 2055	3754	Universal Wood Primer	9
Waxes	2087, 20871	Color Wax	15
Wood varnishes	5201, 52011	Wood Varnish Aqua colorless and colored	18
	8101, 81011	Wood Varnish Aqua Industry colorless and colored	18
Enamel paints	5134, 5135	VERNILUX Aqua Enamel Paint white and colored semi mat	19
	5136, 5137	VERNILUX Aqua Enamel Paint white and colored semi gloss	19
primer for 5134 - 5137	1211	Primer Aqua	19

Indoor area**interior fittings****Wooden walls and room doors**

	Item no.	Product	Page
Soaps and lyes	2091	Floor Soap natural	17
	2092	Floor Soap white	17
brightening for hard woods	2093	Hard Wood Lye	17
brightening for soft woods	2094	Soft Wood Lye	17

Railings, beams, etc.

Thin-film-forming oils	8162	Hard Wax Oil mat	9
	2044	Universal Hard Oil semi mat	9
	2055	Hard Wax Oil semi gloss	9
	8045	Hard Oil Aqua semi gloss	10
	8245, 82451	Hard Oil Aqua mat colorless and colored	10
	8689	Bianco Oil Aqua	10
colored primer for 8162, 2044, 2055	2110	Color Oil solvent-free	11
primer for 8162, 2044, 2055	3754	Universal Wood Primer	9
Wood varnishes	5201, 52011	Wood Varnish Aqua colorless and colored	18
	8101, 81011	Wood Varnish Aqua Industry colorless and colored	18
Enamel paints	5134, 5135	VERNILUX Aqua Enamel Paint white and colored semi mat	19
	5136, 5137	VERNILUX Aqua Enamel Paint white and colored semi gloss	19
primer for 5134 - 5137	1211	Primer Aqua	19

Inside of windows and external doors

Wood varnishes	5201, 52011	Wood Varnish Aqua colorless and colored	18
	8101, 81011	Wood Varnish Aqua Industry colorless and colored	18
Enamel paints	5134, 5135	VERNILUX Aqua Enamel Paint white and colored semi mat	19
	5136, 5137	VERNILUX Aqua Enamel Paint white and colored semi gloss	19
primer for 5134 - 5137	1211	Primer Aqua	19

Radiators

Enamel paints	5134, 5135	VERNILUX Aqua Enamel Paint white and colored semi mat	19
	5136, 5137	VERNILUX Aqua Enamel Paint white and colored semi gloss	19

Toys

Non-film-forming oils	2052	Worktop Oil solvent-free	11
Wood varnishes	5201, 52011	Wood Varnish Aqua colorless and colored	18
	8101, 81011	Wood Varnish Aqua Industry colorless and colored	18
Enamel paints	5134, 5135	VERNILUX Aqua Enamel Paint white and colored semi mat	19
	5136, 5137	VERNILUX Aqua Enamel Paint white and colored semi gloss	19
primer for 5134 - 5137	1211	Primer Aqua	19
Toy Paints	8005 1-17	Toy Paint Aqua	16
sweat and saliva resistant finish	8045	Hard Oil Aqua semi mat	10
sweat and saliva resistant finish	8245	Hard Oil Aqua mat	10

Walls and ceilings**Plaster / plasterboard, gypsum fibre and cellulose fibre boards / old paint / wallpaper / concrete / masonry**

Primer for sandy and highly absorbent substrates	1440	Universal Primer	20
Primer for filled substrates and substrates with varying degrees of absorbency	3046	SOLIMIN Special Primer	20
Natural resin paint	3011, 3011 1-4	PRIMASOL Wall Paint white and colored	21
Silicate paint	3051, 3051 1-4	SOLIMIN Mineral Paint white and colored	21
Latex paint for heavily used walls	3006	DURASOL Wall Paint latex white	21
Brush-on plater	3055	Quartz Brush-on Plaster white	21

Indoor area	Item no.	Product	Page
Cleaning and Maintenance			
Oiled and waxed floors			
Treated with oil-based products			
regular cleaning, concentrate	4010	NACASA Universal Cleaner	22
regular cleaning, ready to use	4020	Household Cleaner	23
deep cleaning	2090	NAPONA Basic Cleaner	22
intensive oil cleaning	2057	Intensive Oil Cleaner	13
regular maintenance, concentrate	2085, 2086	NAPLANA - NAPLANA plus non-slip - Care Emulsione	14
regular maintenance, ready tu use	4030	Wax Care	14
regular cleaning and maintenance	4085	Cleaning and Maintenance Kit	15
intensive maintenance	2076	Maintenance Oil colorless	14
for solvent-free oiled surfaces	2081	Maintenance Kit	14
for surfaces oiled with Bianco oil	8081	Bianco Maintenance Kit	14
Treated with water-based products			
regular cleaning, concentrate	4010	NACASA Universal Cleaner	22
regular cleaning, ready to use	4020	Household Cleaner	23
regular maintenance, concentrate	2085, 2086	NAPLANA - NAPLANA plus non-slip - Care Emulsione	14
regular maintenance, ready tu use	4030	Wax Care	14
regular cleaning and maintenance	4085	Cleaning and Maintenance Kit	15
Oiled and waxed furniture			
Treated with oil-based products			
regular cleaning, ready to use	4020	Household Cleaner	23
deep cleaning	2090	NAPONA Basic Cleaner	22
regular maintenance, ready tu use	4030	Wax Care	14
intensive maintenance	2076	Maintenance Oil colorless	14
Repair of minor damage or stains	2081	Maintenance Kit	14
Treated with water-based products			
regular cleaning, ready to use	4020	Household Cleaner	23
regular maintenance, ready tu use	4030	Wax Care	14
Varnished and lacquered surfaces			
Care and refreshing			
	5295	Varnish Renewal Aqua	18
	5296	Care Set Varnish Renewal Aqua	18
Supplementary products for oils			
for oily products and light-coloured surfaces	2108	Color Stabilizer	13
for water-based oils	2146	Retarding Agent	13



Outdoor area**Wooden façades, roof substructures, components, fences, play equipment**

	Item no.	Product	Page
Thin-film-forming oils	2043, 20431	Weather Protecion Oil colorless and colored	12
Wood varnishes	52011	Wood Varnish Aqua colored	18
	8101, 81011	Wood Varnish Aqua Industry colorless and colored	18
Enamel paints	5142, 5141	VERNILUX Aqua Enamel Paint white and colored	17
primer	1211	Primer Aqua	17

Wooden windows and exterior doors

Wood varnishes	52011	Wood Varnish Aqua colored	18
	8101, 81011	Wood Varnish Aqua Industry colorless and colored	18
Enamel paints	5142, 5141	VERNILUX Aqua Enamel Paint white and colored	17
primer	1211	Primer Aqua	17

Wooden garden furniture

Thin-film-forming oils	3752	Teak Oil colorless	12
Wood varnishes	52011	Wood Varnish Aqua colored	18
	8101, 81011	Wood Varnish Aqua Industry colorless and colored	18
Enamel paints	5142, 5141	VERNILUX Aqua Enamel Paint white and colored	17
primer	1211	Primer Aqua	17

Wooden terraces and decks

Thin-film-forming oils	3753, 37531	Decking Oil colorless and colored	12
-------------------------------	--------------------	-----------------------------------	----

Facades made of plaster, masonry, concrete

Primer for sandy and highly absorbent substrates	1440	Universal Primer	20
Primer for filled substrates and substrates with varying degrees of absorbency	3046	SOLIMIN Special Primer white	20
silicate paint	1405, 1405 1-4	EUROMIN facade paint white and colored	20

Cleaning agents

Cleaning of green deposits and dirt	2019	Terrace Cleaner	22
Intensive brightening of greyed wood	2089	Wood Grey Remover	22
for all surfaces	4010, 4020	NACASA Universal Cleaner, Household Cleaner	22
Removal of tannic acid stains on oak wood surfaces and other woods containing tannic acid	4070	Stain Remover	13

Maintenance and refreshing

Varnished and lacquered surfaces	5295	Varnish Renewal Aqua	18
	5296	Care Set Varnish Renewal Aqua	18



Product group	Page
Oils	9-13
Solvent-free interior oils	9
Aqua interior oils	10
Classic interior oils	11
Exterior oils	12
Supplementary products for oils	13
Waxes	14
Cleaning and care products	14-15
Shellac products	16
Soaps and lyes	17
Wood varnishes	18
Enamel paints	19
Interior enamel paints	19
Exterior enamel paints	19
Wall and facade paints	20-21
Facade paints	20
Interior wall paints	21
Cleaning agents	22-23






Solvent-free interior oils



2110 Color Oil - colored primer

The oil, which contains color pigments, is suitable for wood, cork, fibreboard, MDF and OSB boards. It penetrates deep into the substrate, revitalising and enhancing its natural structure. It can be tinted in the colors of the BIOFA ELUC color chart. As a final coat, we recommend, for example, BIOFA Universal Hard Oil 2044 semi mat or Hard Wax Oil 8162, 2055 mat/semi gloss.


Complies with standards: DIN 53160 sweat and saliva resistance



2049 Furniture Oil - Base and top coat

The Furniture Oil is ideal for absorbent wooden furniture surfaces (not for furniture interiors) and penetrates the wood well. It revives and deepens the natural structure and color of the treated wood. Furthermore, the naturally produced furniture oil creates diffusion-open, hard-wearing, antistatic, dirt- and water-repellent surfaces.


Complies with standards: QNG-Ready for KfW funding



2052 Worktop Oil - Base and top coat

Suitable for both basic treatment and final coating of raw wood, as well as for the care of oiled wooden worktops and furniture surfaces (not for furniture interiors). It revives and deepens the natural structure and color of the wood. Surfaces treated with Worktop Oil are diffusion-open, hard-wearing, antistatic and dirt and water-repellent.


Complies with standards: Food safety, skin compatibility, toy standard EN 71.3



2053 Hemp-Worktop Oil - Base and top coat

Suitable for both basic treatment and final coating of raw wood, as well as for the care of oiled wooden worktops and furniture surfaces (not for furniture interiors). It revives and deepens the natural structure and color of the wood. Surfaces treated with worktop oil are diffusion-open, hard-wearing, antistatic and dirt and water-repellent.

The raw material hemp oil used is sourced from regional cultivation.




2059 Parquet Oil special - Base and top coat

The only natureplus-certified floor oil on the market!

Provides a lasting finish for wood and creates a dirt- and water-repellent, resistant surface on parquet floors, cork floors, wooden floors, etc. in interior areas. It brings out the natural character of the wood and gives the wooden surface a velvety sheen.


Complies with standards: Parquet standard DIN EN 14342 (DIBt), NaturePlus 0703-1 708-031-1 and QNG-Ready for KfW funding



8662 Dipping Oil colorless - Base and top coat

Colourless oil made from high-quality, natural raw materials for furniture surfaces. Penetrates well, revitalises and deepens the natural structure and color of the treated wood, and produces durable, breathable and antistatic surfaces.

Complies with standards: EN 71.3 Toy standard






Aqua interior oils



8045 Hard Oil Aqua semi mat - Primer and top coat

Hard Oil Aqua is a water-dilutable coating for efficient, time-saving surface treatment of interior wood surfaces. It revives the natural structure of the treated substrates and produces a silk matt, hard-wearing and water-repellent surface that is largely free of yellowing.

Complies with standards: EN 71.3 Toy standard, DIN 53160 Sweat and saliva resistance.



8245 Hard Oil Aqua mat colorless and colored - Primer and top coat

Hard Oil Aqua 8245 produces a matt finish.

Otherwise, see Hard Oil Aqua 8045.


Complies with standards: EN 71.3 Toy standard, DIN 53160 Sweat and saliva resistance.



8689 Bianco Oil Aqua raw wood effect - Primer and top coat


Water-dilutable coating for efficient, time-saving surface treatment of wood in interior areas. The natural character of the treated wood surface is retained - raw wood effect. The result is a color-fast, matt, hard-wearing and water-repellent surface that is UV-protected and non-yellowing.

Erfüllte Normen: EN 71.3 Spielzeugnorm, DIN 53160 Schweiß- und Speichelechtheit.



8145 Stone Oil Aqua colorless - Primer and top coat

Stone Oil Aqua is a water-dilutable coating for absorbent mineral floors in interior areas. It produces a semi gloss, hard-wearing, water-repellent surface. Stone Oil Aqua is applied as a primer and as a final coat.



Niederlöhner Treppenbau - <https://www.niederloehner-treppen.de>


Classic interior oils



3754 Universal Wood Primer solvent-free - oily primer

Saturates, consolidates and evens out highly absorbent and uneven substrates. Revitalises and deepens the natural structure and color of the substrate. Suitable for mineral floors treated with Stone Oil 2100, 21001 and for absorbent woods treated with BIOFA Universal Hard Oil 2044, Hard Wax Oil 8162, 2055, Wax Balm 2063, Hard Wax 2060.


Erfüllte Normen: Parquet standard DIN EN 14342 (DIBt)



2044 Universal Hard Oil - Primer and top coat

Revitalises the natural structure of the wood and, thanks to its thin surface film, creates an open-pored, semi mat, hard-wearing, dirt- and water-repellent surface that is largely free from yellowing. It is also very well suited as a final coat for Color Oil 2110. Perfect for customers who want to switch from varnished surfaces to oiled surfaces.


Complies with standards: Parquet standard DIN EN 14342 (DIBt), DIN 53160 Sweat and saliva resistance



2055 Hard Wax Oil semi gloss - Primer and top coat

Hard Wax Oil revives the natural structure of the substrate and produces a thin film-forming, open-pored, hard-wearing, semi gloss, dirt- and water-repellent surface. It revives and deepens the natural structure and color of the wood. Ideal as a final treatment for BIOFA Color Oil 2110.


Complies with standards: Parquet standard DIN EN 14342 (DIBt), DIN 53160 Sweat and saliva resistance, QNG-Ready for KfW funding



8162 Hard Wax Oil mat - Primer and top coat

Hard Wax Oil revives the natural structure of the respective substrates and produces a thin film-forming, open-pored, hard-wearing, mat, dirt- and water-repellent surface. It revives and deepens the natural structure and color of the treated wood. Hard Wax Oil 8162 is ideal as a final treatment for BIOFA Color Oil 2110. (Not for furniture interiors).


Complies with standards: Parquet standard DIN EN 14342 (DIBt), DIN 53160 Sweat and saliva resistance



2100, 21001 Stone Oil colorless and colored - Top coat

Once dry, the stone oil produces a silky-gloss, hard-wearing, dirt- and water-repellent, diffusion-capable, film-forming and easy-care surface. It is suitable as a colorless or colored primer and top coat for absorbent mineral substrates such as screed floors, cotto tiles, terrazzo, etc. Color mixtures are available according to RAL.


Complies with standards: DIN 53160 Sweat and saliva resistance



8683 Bianco Oil raw wood effect - Primer and top coat

High-quality coating for efficient, time-saving surface treatment of wood in interior areas. The natural color of the wood remains largely unchanged - raw wood effect, with hardly any color enhancement. Produces a mat, open-pored, hard-wearing and dirt- and water-repellent surface that is largely free of yellowing.

Complies with standards: EN 71.3 Toy standard, DIN 53160 Sweat and saliva resistance, Parquet standard DIN EN 14342 (DIBt)



8624, 86241 Profi Top Oil colorless and colored - Primer and top coat

High-quality product made from natural raw materials based on an oil-resin mixture. It permanently refines the wood and creates a resistant, diffusion-open and antistatic surface. The natural character of the wood is enhanced and the surface takes on a velvety sheen. Profi Top Oil can be tinted in many colors according to the BIOFA ELUC color chart.

Complies with standards: Parquet standard DIN EN 14342 (DIBt)




Exterior oils



2043, 20431 Weather Protection Oil semi gloss, colorless and colored - Primer and top coat

Weather Protection Oil is a highly effective wood preservative for wooden façades, components, fences and structures. The oil revitalises and preserves the natural structure of the wood, protects it from moisture and delays the typical greying process. It is suitable for sanded, planed and rough-sawn wood. Weather Protection Oil can be tinted in the colors of the BIOFA ELUC color chart.




PDF color shades




3752 Teak Oil for all woods - top coat and maintenance

Teak oil is ideal as a basic treatment and for the care of all raw or oiled wooden furniture made of bamboo, teak, tropical woods, softwoods and hardwoods. It is a colorless oil that penetrates very well and forms an open-pored, semi gloss and easy-care surface. This provides optimum protection for the wood against moisture and other weather influences.



3753 Decking Oil - top coat

Terrace oil is a high-quality, impregnating care oil for wooden terraces, walkways and decks made of oak, larch, Douglas fir, robinia, teak, bangkirai and thermowood. It is quick and easy to apply and penetrates deep into the wood to protect it from moisture and weathering. Decking Oil can be tinted in the colors of the BIOFA ELUC color chart for transparent, oily products.



PDF color shades





Supplementary products for oils



2057 Intensive Oil Cleaner

This highly effective cleaner dissolves stubborn dirt and old protective and maintenance films on oiled or oil-waxed wood, cork and linoleum floors that have been treated with BIOFA Universal Hard Oil 2044, Hard Wax Oil 8162, 2055, Furniture Oil 2049, Worktop Oil 2052 or Parquet Oil 2059. In principle, the Intensive Oil Cleaner can also be used for other oxidative drying oil systems after prior testing.



2146 Retarding Agent

Retarding Agent is an optional additive for Hard Oil Aqua semi mat, item no. 8045, and Hard Oil Aqua mat, item no. 8245, as well as for all water-based BIOFA oils and varnishes. It slows down the relatively rapid setting and drying of the products, thereby extending the open time. This allows for significantly longer wet-on-wet working, especially on large surfaces.



4070 Stain Remover

The Stain Remover is a highly effective cleaning agent for removing stubborn, dark tannic acid reaction stains on oak wood surfaces and other woods containing tannic acid. Thanks to its gel-like consistency, the Stain Remover is also suitable for vertical surfaces.



2108 Color Stabilizer

Color stabiliser is a transparent additive made from natural ingredients. It is suitable for all BIOFA oil systems on light-colored substrates. It helps light-colored surfaces retain their light character by reducing the natural yellowing of oils and resins.




Waxes

2060 Hard Wax - top coat




This natural hard wax, made from beeswax and carnauba wax, is colorless, easy to apply, breathable, non-slip, antistatic and non-flammable. It creates a semi gloss finish and has a pleasant, mild odour. The hard wax can also be used as a final coat for all BIOFA oils.

Complies with standards: EN 71.3 Toy standard




2063 Wax-Balm solvent-free - care product and top coat

Wax finish is an ideal care product for already oiled or oil-waxed wood and cork surfaces in interior areas. This high-quality mixture of natural oils, resins and carnauba wax is open-pored, antistatic and color-enhancing. It is colorless and creates semi gloss, water-resistant, diffusion-capable, hard-wearing and antistatic surfaces. It can also be used as a final coat for Parquet Oil Special 2059.



8660 Oil Wax solvent-free colorless - Primer and top coat

Oil wax is used to finish wooden surfaces in furniture. It can be applied cold or warm by spraying, rolling or brushing, and is particularly suitable for cold spraying. It consists of high-quality, natural raw materials, is solvent-free, colorless and produces resistant, diffusion-capable and antistatic surfaces. Thanks to its good penetration properties, it revives and deepens the natural structure and color of the treated wood.



Cleaning and care products



4010 NACASA Universal Cleaner - pH neutral

High-quality, environmentally friendly cleaning concentrate made from natural raw materials, free from chemical preservatives, chlorine, ammonia and phosphate. Particularly skin-friendly and biodegradable. In addition to cleaning all surfaces in the home, NACASA Universal Cleaner can also be used with a small amount of household vinegar to remove green deposits, algae and mould from heavily weathered outdoor surfaces.



4085 Cleaning and Maintenance Kit

The Cleaning and Maintenance Kit is suitable for regular cleaning and care of all oiled and waxed wooden surfaces indoors. It contains 500 ml NACASA Universal Cleaner 4010, 500 ml NAPLANA Care Emulsion 2085, cleaning and care instructions and a bamboo cloth - everything you need to enjoy your natural wood surface for many years to come.





2085 NAPLANA Care Emulsion

This ecological care emulsion is a concentrate and is used for both basic care and maintenance. It protects and cares for oiled, glazed, varnished or waxed floors, smooth leather and other surfaces against dirt and mechanical abrasion. After a short drying time, the care emulsion produces a semi gloss surface without polishing. The treated surfaces are refreshed, diffusible and dirt-repellent.




2086 NAPLANA Plus non-slip Care Emulsion

This ecological care emulsion is a concentrate and is used for both basic care and maintenance. It has an anti-slip effect and protects and cares for oiled, glazed, lacquered or waxed floors, smooth leather and other surfaces against dirt and mechanical abrasion. After a short drying time, the care emulsion produces a semi gloss surface without polishing. The treated surfaces are refreshed, diffusible and dirt-repellent.



2076 Maintenance Oil colorless

The solvent-based, semi gloss Maintenance Oil 2076 (colorless) is used in particular as a maintenance product for oiled floor surfaces that appear dull, matt and poor after cleaning. Timely and regular application of BIOFA Maintenance Oil extends the life of the treated wood surfaces.



2081 Maintenance Kit solvent-free - for solvent-free oiled surfaces

Careful cleaning, care and maintenance, e.g. using the maintenance kit oil, are important measures for permanently preserving the quality and beauty of oiled or oil-waxed cork and wood surfaces. The kit contains: 150 ml solvent-free Care Kit Oil, item no. 2082, P 240 sandpaper, grey sanding pad (coarse), white sanding pad (fine), bamboo cloth and a Care and Repair Instruction.



8081 Bianco Maintenance Kit - for surfaces oiled with Bianco Oil 8683

Careful cleaning, care and maintenance are important measures for preserving the quality and beauty of oiled wood surfaces in the long term. The Bianco Maintenance kit contains: 150 ml BIOFA Bianco Oil 8683, item no. 8683, P 240 sandpaper, grey sanding pad (coarse), white sanding pad (fine), bamboo cloth and care anda Care and Repair Instruction.



4030 Wax Care

This eco-friendly Wax Care is a ready-to-use basic and maintenance care product. It protects and cares for oiled, glazed, varnished or waxed floors, smooth leather and other surfaces against dirt and mechanical abrasion. After a short drying time, the care emulsion produces a semi gloss surface without polishing. The treated surfaces are refreshed, permeable and dirt-repellent.

Complies with standards: Surface compatibility test






Shellac products



5005 Natural Shellac Refiner - Primer and top coat


Natural Shellac Refiner is made from natural raw materials based on shellac. It is colorless, solvent-free, water-dilutable, quick-drying and saturates the wood. The solvent-free Natural Shellac Refiner is ideal as a final coating for cabinet interiors and drawers, as the product is completely odourless and dries very quickly.

Complies with standards: EN 71.3 Toy standard




8005 1 - 8005 15 Toy Paint Aqua - Basic treatment

No harmful substances for our children! Toys in bright, vibrant colors make children's eyes light up. Mixing the 10 colors gives you a wide variety of shades. Toy paint is odourless, particularly well tolerated - even by allergy sufferers - easy to use and dries extremely quickly. To prevent color abrasion, we recommend 8245 BIOFA Hard Oil Aqua mat as a final coat.



Complies with standards: EN 71.3 Toy standard



Soaps and lyes



2091 Floor Soap natural - Basic and final treatment, care

Wood floor soap is a solvent-free, highly concentrated, natural soap combination and is ideal for cleaning and maintaining soap-treated, leached and oiled softwood floors.

Basic treatment: diluted 1:7 with water

Maintenance: diluted 1:40 with water



2092 Floor Soap white - Basic and final treatment, care

Wood floor soap is a solvent-free, highly concentrated, natural soap combination and is ideal for cleaning and maintaining soap-treated, leached and oiled softwood floors. The white wood floor soap is particularly suitable for light-colored woods, as its white pigmentation leaves a beautiful light patina on the surface and delays the natural darkening of the wood.

Basic treatment: diluted 1:7 with water **Maintenance:** diluted 1:40 with water




2093 Hard Wood Lye - Basic treatment

Treating hardwoods with hardwood lye can largely prevent yellowing of the wood and preserve the original appearance of the wood surface. We recommend follow-up treatment with Floor Soap natural 2091 or Hard Wax 2060. Follow-up treatment with Floor Soap white 2092 gives the surface a whitewashed character.



2094 Soft Wood Lye - Basic treatment

Treating softwoods with softwood lye can largely prevent yellowing of the wood and preserve the original appearance of the wood surface. We recommend follow-up treatment with Floor Soap natural 2091 or Hard Wax 2060. Follow-up treatment with Floor Soap white 2092 gives the surface a whitewashed character.






Wood varnishes



2087, 20871 Color Wax Aqua colorless and colored

Treated wood surfaces are free from yellowing, have a silky sheen, are permeable and dirt-repellent. Can be tinted in the colors of the BIOFA FILUC color chart. For colored wax, we recommend a final coat of colorless wax, as this increases abrasion resistance and wipe resistance.

Complies with standards: EN 71.3+9 Toy standard




PDF color shades



5201, 52011 Wood Varnish Aqua colorless and colored - Primer and top coat

The wood glazes are suitable for all hardwoods and softwoods. The wood glaze produces an open-pored, hard-wearing, semi gloss, highly elastic, dirt- and water-repellent surface. It is transparent and enlivens and deepens the natural structure of the treated wood. The wood glaze can be tinted in the colors of the BIOFA FILUC color chart for transparent, water-based products.

Complies with standards: EN 71.3+9 Toy standard, DIN 53160 Sweat and saliva resistance




PDF color shades




1053 Fence Wood Varnish transparent brown - Primer and top coat

The fence glaze is suitable for all hardwoods and softwoods. It produces an open-pored, durable, semi gloss, highly elastic, dirt- and water-repellent surface. It enlivens and deepens the natural structure of the wood.




5295 Varnish Renewal Aqua colorless - Maintenance and renovation

Coated wooden elements in outdoor areas are exposed to high levels of stress due to weathering and UV radiation. Varnish Renewal Aqua is a solvent-free, water-based care emulsion for varnished coatings in both outdoor and indoor areas. When used regularly, it extends the renovation intervals and thus the service life of the varnished coatings by forming a thin layer of binder on the varnished surface, which refreshes, protects and gives it a new shine.



5296 Care Set Varnish Renewal Aqua - Maintenance and renovation


Care, maintenance and refreshment of painted wooden surfaces in a single step. The Care set Varnish Renewal Aqua contains: 250 ml Varnish Renewal Aqua 5295, 2 bamboo cloths and care instructions for painted wooden surfaces.



8101, 81011 Wood Varnish Aqua Industry - Primer and top coat

Wood Varnish Aqua Industry is a water-soluble, very fast-drying wood varnish. It forms a weather-resistant, semi gloss surface that is highly elastic and water-repellent. Wood Varnish Aqua Industry can be tinted in many colors ex works according to the BIOFA FILUC color chart.

Complies with standards: EN 71.3 Toy standard




Enamel paints



1211 Primer Aqua solvent-free

Primer Aqua is made with a binder based on sunflower oil and castor oil. This unevenness-levelling, saturating, vapour-permeable and permanently elastic primer provides optimum adhesion for subsequent coats of BIOFA oil, colored and top coats on wooden surfaces and wood-based materials.




Interior enamel paints



5135, 5134 VERNILUX Aqua Enamel Paint for indoor use, white and colored, semi mat

VERNILUX Aqua is a water-soluble, dirt- and water-repellent lacquer paint. It has excellent adhesion and high covering power. The paint is suitable for all wooden surfaces. After pre-treatment with a commercially available, suitable rust protection, it is also suitable for metal substrates, such as radiators and heating pipes. VERNILUX Aqua can be tinted in all RAL colors.




Complies with standards: EN 71.3 Toy standard, DIN 53160 Sweat and saliva resistance



5136, 5137 VERNILUX Aqua Enamel Paint for indoor use, white and colored, semi gloss

VERNILUX Aqua is a water-dilutable, dirt- and water-repellent lacquer paint. It has very good adhesion and high covering power. The paint is suitable for all wooden surfaces. After pre-treatment with a commercially available, suitable rust protection, it is also suitable for metal substrates. VERNILUX Aqua can be tinted in all RAL colors.



Complies with standards: EN 71.3 Toy standard, DIN 53160 Sweat and saliva resistance




Exterior enamel paints



5142, 5141 VERNILUX Aqua Enamel Paint for outdoor use, white and colored, semi gloss

Weatherproof, durable, dirt and water repellent, good coverage and adhesion. The wood surface remains permanently elastic, breathable and antistatic. Suitable as protection for wooden components such as wooden façades, gates, windows, doors, railings, fences, garden furniture and play equipment. With appropriate pre-treatment, it can also be used on metal substrates. Can be tinted in all RAL colors.




Complies with standards: EN 71.3 Toy standard, DIN 53160 Sweat and saliva resistance

Wall and facade paints




1440 Universal Primer solvent-free

Universal Primer is made from natural raw materials and based on potassium silicate. It saturates, strengthens and evens out highly absorbent and sandy substrates. The product is ideal as a primer for SOLIMIN Mineral Paint 3051, 3051 1-3051 4, EUROMIN Facade Paint 1405 and 1405 1-1405 4, as well as a thinner for SOLIMIN Special Primer 3046.



3046 SOLIMIN Special Primer white

SOLIMIN Special Primer 3046 is made from natural silicate-based raw materials, is levelling, saturating and diffusion-capable. The product serves as a primer for levelled drywall panels or heavily repaired plaster and mixed substrates on walls and ceilings. Priming with SOLIMIN Special Primer is necessary if joints and levelled areas are visible.




Facade paints



1405, 1405 1-4 EUROMIN Facade Paint semi mat - Top cote

Ready-to-use, solvent-free, UV- and weather-resistant silicate paint, highly diffusible, lightfast, UV-stable, mould and algae-resistant and particularly weather-resistant. It is suitable for uncoated lime and clay plasters, concrete, sand-lime brick and similar mineral substrates, old adhering lime and silicate paint coatings. Can be tinted in the colors of the BIOFA SILIC color chart.



Complies with standards: DIN 18363/2.4.1. Ready-to-use silicate paint made from potassium water glass






Interior wall paints




3006 DURASOL Wall Paint latex white - Top coat

Suitable for walls and ceilings, for plaster, concrete, plasterboard, cellulose fibreboard and woodchip wallpaper, as well as on old, stable emulsion paints. The paint has a semi gloss finish, is highly opaque and scrub-resistant (wet abrasion resistance class 1, contrast ratio class 2 at 6.5 m² according to DIN EN 13300), free of solvents and plasticisers, and resistant to solvent-free cleaning agents and disinfectants.



3011, 3011 1-4 PRIMASOL Wall Paint white and colored - Top coat

Suitable for walls and ceilings, for load-bearing substrates such as plaster, concrete, aerated concrete, plasterboard, cellulose fibreboard, woodchip wallpaper, for renovating old emulsion paints that are load-bearing and clean. The paint is mat, highly opaque, quick-drying, diffusion-capable, breathable and washable to scrub-resistant. Can be tinted according to the BIOFA MURIC color chart.




Complies with standards: DIN 13 300 Class 2 abrasion resistance, Class 1 covering power, Flammability Class 2



3051, 3051 1-4 SOLIMIN Mineral Paint white and colored - Top coat

Ready-to-use, diffusion-open, algae and mould-resistant silicate paint for walls and ceilings. Can be used on all calcareous, cementitious and gypsum-based plasters, clay plasters, concrete, sand-lime brick, exposed masonry, woodchip wallpaper, glass fibre fabrics and old mineral and emulsion paints. Can be tinted according to the BIOFA SILIC color chart.




Complies with standards: DIN 18 363 / C 2.4.1 Ready-to-use mineral paint, wet scrub resistance class 2, covering power class 2, Nature Plus 0602 1001 0311, QNG-Ready for KfW funding



3055 SOLIMIN Quartz Brush-on Plaster white - Top coat

Ready-to-use coating plaster, suitable for lime, cement, clay and gypsum-based plasters, concrete, sand-lime brick, exposed masonry, old mineral paint coatings and emulsion wall paints, woodchip wallpaper, plasterboard and gypsum fibre boards, and as a substrate for SOLIMIN silicate paint. Diffusion-open, algae and mould resistant. Produces a fine-grained, non-slip surface.



Complies with standards: DIN 18 363/ Part C 2.4.1 Ready-to-use silicate coating plaster, Nature Plus 0602 1001 0312, QNG-Ready for KfW funding



Cleaning agents



0500 Thinner

The product is suitable for thinning solvent-based paints, glazes, oils and waxes, as well as for cleaning painting tools. The thinner is also ideal for dissolving oils and resins, removing stains, degreasing and cleaning dirty surfaces, removing tannic acid and other problematic substances from tropical and tannic hardwoods, and removing resin from softwoods.



0600 Brush Cleaner - solvent-free

The brush cleaner is a natural, solvent-free and biodegradable cleaning agent for cleaning brushes, paint rollers, paint rollers, painting tools, varnishing tools, etc. Suitable for removing all solvent-free and water-dilutable natural resin paints, varnishes, glazes, oils and waxes from brushes and tools.



2019 Terrace Cleaner - for wood and stone in outdoor areas

BIOFA Terrace Cleaner is a highly effective concentrate for quick, thorough yet gentle cleaning. Removes green deposits and other dirt from terrace surfaces, privacy screens, garden furniture, pergolas, etc. made of untreated or oiled wood in outdoor areas. Also suitable for surfaces made of plastic and composite materials, as well as stone, concrete, exposed aggregate concrete, eternit, roof tiles and paving slabs.



2089 Wood Grey Remover

Wood Grey Remover can be used to clean, refresh and brighten all greyed, treated and untreated wood surfaces made of hard or soft woods. The cleaning agent restores weathered and greyed wood surfaces to their original color and natural, beautiful character. Thanks to its gel-like consistency, the Wood Grey Remover adheres well even to sloping or vertical surfaces, allowing it to work effectively there too.



2090 NAPONA Basic Cleaner

This powerful Basic Cleaner is solvent-free, made from natural raw materials and is highly biodegradable. It dissolves stubborn dirt, oil and wax on wood and cork parquet, linoleum floors, tiles and natural stone floors. After cleaning and neutralising, the floor should be treated with oil or wax.



4020 Household Cleaner - pH neutral

This universal cleaner is a ready-to-use cleaner made from natural raw materials. It is a high-quality universal cleaner without chemical preservatives and free from chlorine, ammonia and phosphate, making it particularly skin-friendly and biodegradable. Household Cleaner is suitable for gentle cleaning of oiled, waxed, glazed and painted surfaces such as floors, window frames, doors, tiles, wood, plastics, etc.



Complies with standards: Surface compatibility test



4053 NALINDO Washing-up Liquid - particularly skin-friendly and pH-neutral

This hand dishwashing liquid is alkali-free, phosphate-free and contains no chemical preservatives. The addition of lecithin means that the Washing-up Liquid cares for your hands while washing up and prevents your skin from drying out. The raw materials contained in NALINDO (surfactants from vegetable fats) have excellent dirt and grease-removing properties and leave your dishes, glasses and pots beautifully shiny.





4056 NASEDA Wool Detergent - for wool, silk and delicate fabrics

The ecological hand wash detergent and wool detergent is made from natural raw materials, without chemical preservatives and free from enzymes, optical brighteners, softeners and phosphates. The raw materials used (surfactants from vegetable fats) have excellent dirt and grease removal properties. Nevertheless, this environmentally friendly wool detergent concentrate is mild and gentle on laundry. It cares for woollens and delicates even during washing!



4058 Glass Cleaner

The glass cleaner is made from 100% high-quality natural raw materials, contains no preservatives and is very environmentally friendly. It easily removes stubborn dirt and ensures cleanliness and a beautiful, streak-free shine on all surfaces. This eco-friendly cleaning agent is suitable for windows, mirrors, glass tables, glass display cases, car windows, etc., as well as for cleaning demanding plastic surfaces, window frames, doors and tiles.



4060 NATOLE Sanitary Cleaner

Sanitary Cleaner is ideal for gentle and environmentally friendly cleaning of bathrooms, toilets and kitchens. It effectively removes stubborn dirt, limescale and urine stains from toilet bowls, urinals, wash-basins, bathtubs, shower trays, tiles, fittings, etc., leaving them naturally fresh-smelling and sparkling clean.



die Holzschmiede - <https://www.holzschmiede.de>

WITH THE NATURE FOR THE HUMAN BEING



BIOFA



because healthy living is not a luxury!



BIOFA Naturprodukte W. Hahn GmbH
Dobelstraße 22 • 73087 Bad Boll
T: +49 (0) 7164 / 9405 0
F: +49 (0) 7164 / 9405 96
www.biofa.de • info@biofa.de

01.01.2026